

useit®-Superpad P

JÖST
abrasives

Optimized solutions
for long-neck sanders



dust-free sanding •

significantly better sanding performance •

fatigue-free operation •

**FOR DRYWALL COMPOUND
FINISHING AND PLASTER SANDING**

Benchmark technology - Quality that gets results

useit-abrasives®

patented • multi-functional • cutting-edge

useit®-Superpad P - An idea sets the benchmarks for wall and ceiling work

Jöst multi-perforation pads tackle tough tasks head-on, thanks to their patented construction. Even during overhead sanding, dust pollution for users is reduced to a minimum. With the **useit®-Superpad P** the sanding head glides smoothly and easily over walls and ceilings, enabling fatigue-free working.

Thanks to their ultra-versatile range of applications, **useit®-abrasives®** meet the most stringent demands for quality, guaranteeing a high level of productivity. Painters, varnishers, and plasterers now have effective solutions at hand - for every surface.

The **useit®-Superpad P** gives you optimal, dust-free sanding results - **fast and effectively**.


useit® - Superpad P

Optimal dust extraction

Thanks to the patented **useit® Superpad P** and its unique, full-surface perforations, clogging is now a thing of the past - and sanding performance has attained new levels. Dust is extracted through the perforations in a congestion-free flow - not only at the sanding plate edges, but over the entire surface.

Benefits at a glance

- full-surface dust extraction
- no clogging
- dust and fatigue-free working
- environmentally friendly
- cost-saving thanks to more efficient surface sanding performance



JÖST
abrasives

useit®-Superfinishing-Pad SG for polished results

With the **useit®-Superfinishing-Pad SG**, you can polish marble plaster to the desired gloss level - smoothly, fast and economically. Thanks to its open grid structure, this patented fine-sanding pad cannot become clogged, simply because the dust is extracted through the pad over its entire surface.



useit®-Dust Disc

The **useit® dust disc** removes sanding dust residue on walls and ceilings fast, easily and effectively.



www.Joest-abrasives.de



Delivery program for long-neck sanders

JÖST
a b r a s i v e s

useit-abrasives®

for drywall compound finishing and plaster sanding

Article - No.	Article
05-55	Adapter disc - 210 mm Ø x 15 mm (height) for Superpad P, G und Superfinishing-Pad SG with Velcro adhesion

useit®-Superpad P - the perforated abrasive disc

423-A 16	Paper disc - 225 mm Ø - grit 16 - unperforated
423-A 24	Paper disc - 225 mm Ø - grit 24 - unperforated
423-A 40	Superpad P - 225 mm Ø - grit 40
423-A 60	Superpad P - 225 mm Ø - grit 60
423-A 80	Superpad P - 225 mm Ø - grit 80
423-A 100	Superpad P - 225 mm Ø - grit 100
423-A 120	Superpad P - 225 mm Ø - grit 120
423-A 150	Superpad P - 225 mm Ø - grit 150
423-A 180	Superpad P - 225 mm Ø - grit 180
423-A 220	Superpad P - 225 mm Ø - grit 220

Finer grains available on request

useit®-Superpad G - micromesh abrasive cloth with Velcro adhesion

40-K 80 / 225	Superpad G - 225 mm Ø - grit 80
40-K 100 / 225	Superpad G - 225 mm Ø - grit 100

Sanding and polishing abrasives

225-A 100	Non - woven abrasive	- 225 mm Ø - 100
225-A 180	Non - woven abrasive	- 225 mm Ø - 180
131-SG 320	Superfinishing-Pad SG	- 225 mm Ø - 320
131-SG 600	Superfinishing-Pad SG	- 225 mm Ø - 600
131-SG 1200	Superfinishing-Pad SG	- 225 mm Ø - 1200

More grains available on request

P-225 / 5	Polishing sponge - 225 mm Ø x 5 mm (height)
STS-225	useit ®-dust disc - 225 mm Ø

US-Patent 5,810,650
Europa-Patent 0781629

patented · multi-functional · cutting-edge

JÖST GmbH

Beerfeldener Straße 77
69483 Wald-Michelbach
Germany
Tel: + 049 (0)6207 - 94 10-0
Fax + 049 (0)6207 - 2463

www.joest-abrasives.de
info@joest-abrasives.de

