



useit-abrasives®

patented•multifunctional•ingenious

The future-orientated grinding idea

Velcro-type

Sanding plate

Velours layer

Sanding layer

Foam layer

patented • multifunctional • ingenious

useit®-Superpad P

useit-abrasives® - this brand name stands for high-quality sanding media. The patented useit®-Superpad P will solve your sanding problems when working with many different types of material and guarantees optimum surfaces.

An innovative design

In contrast to conventional sanding pads, useit®-Superpad P is perforated across its entiresurface. This allows the sanding dust that is produced to be removed by suction permanently and across the entire surface. Sanding is almost dust-free. The likewise patented Velcro-type system on the rear side of the sanding medium allows the sanding dust to be removed between the backing plate and the sanding disc, thereby significantly reducing the amount of dust at the workplace.

Optimum sanding results

With its perforations, useit®-Superpad P particularly prevents clogging. This keeps contact and removal to the optimum.

Effective working

useit®-Superpad P has up to four times more sanding capacity compared with conventional perforated sanding media. This allows a shorter sanding time and more effective working.

A universal solution


useit®-Superpad P not only has revolutionary properties, it also fits on all manual sanders, with or without suction removal.

useit-abrasives® reduce storage costs to a minimum. This means that this new-generation sanding idea is not only more effective, it also saves costs.



useit®-sanding system:

permanent dust suction removal across the entire sanding surface



Conventional sanding system





Thanks to the new structure of useit®-Superpad P, the sanding dust is removed by suction quickly and effectively.

- Suction removal
- Cooler sanding
- No clogging
- Greater surface sanding capacity
- 100 percent availability
- Low storage costs




Suction removal across the entire surface

No clogging thanks to constant suction removal of the sanding dust.




Convincing results

The patented Velcro-type layer allows permanent, clean suction removal on the rear side.



Conventional perforated sanding disc

- Clogged
- Lower sanding capacity
- · No optimum sanding result



Just these few useit®-multi-hole pads ensure constant availability!









The Velcro-type sandpaper useit®-Superpad P from JÖST abrasives fits anywhere, irrespective of the different hole pattern and number of holes in the backing plates. This ensures 100 percent availability and major savings in storage costs.














No particular backing plate necessary. Suitable for all current machines: Bosch, AEG, Metabo, Kress, Festo, Fein, Flex...

100% delivery readiness at minimum stockkeeping



In contrast to conventional perforated sanding media, the patented useit®-Superpad P allows the ratio of perforated surface to sanding surface to be optimised, depending on the material and the amount of dust produced.

US-Patent 5,810,650 Europa-Patent 0781629

application area



plaster



metal



wood





plastic color



varnish

durex





varnisher



cabinet



locksmith

plasterer



do-it-yourselfer



JÖST GmbH Beerfeldener Straße 77 D 69483 Wald-Michelbach

Tel: +49 (o)6207 - 94 10-0 Fax + 49 (o)6207 - 24 63

www.joest-abrasives.de info@joest-abrasives.de





